

100 000 liters tank i syrefast 316



697 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 100.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: on skirt

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 316

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: in the bottom

Hinged lid: yes

Agitator: no

Internal diameter tank: 3.600 mm

Outer diameter tank: 3.900 mm

Total height of tank: 13.900 mm

SKU: 411935



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja
Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Tankens form: sylindrisk
Total uttapping: Ja
Type bunn: konisk
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 100000

Utstyr

Dokument finnes: Nei
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Næringsmiddelgodkjent: Ja
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316
Festepunkt(er): RVS 316



Tankdimensjoner

Innvendig diameter: 3 600 mm

Total høyde: 13 900 mm

Ytre diameter: 3900 mm

Mer

Isolert: Ja