

## 100 000 liters tank i syrefast 316



971 000 SEK /st exkl moms

**Additional information:** chemistry; Partially small dents in heating coils, slight seizing with shallow depth at the bottom of the jacket.

**Volumetric volume (L):** 100.000 L

**Pressure in tank:** pressure and vacuum

**Max. pressure (Bar):** 6 Bar



**Min. pressure (Bar):** 1 Bar

**Material wet parts:** SS AISI 316 (V4A)

**Model:** vertical

**Configuration:** single jacketed with heat-exchanger

**Heat exchanger:** yes

**Insulation:** no

**Mobile tank:** no

**Total discharge:** yes

**Volume:** 230 L

**Max Overpressure:** 6 Bar

**Max. working temperature:** 200 °C

**Type HE on the bottom:** half pipe welded onto the outside of the innertank

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** yes

**Flange for agitator:** no

**Outlet of tank:** 150/50

**Top:** 18 mm

**Cylinder:** 18 mm

**Bottom:** 25 mm

**Internal diameter tank:** 3.600 mm

**Outer diameter tank:** 3.800 mm

**Cylinder height:** 9.870 mm

**Total height of tank:** 11.500 mm

**Empty weight tank:** 21.000

**SKU:** 441602



## Mer information

### Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: enkeltmantlet med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: kjemi; Delvis små bulker i varmespiraler, lett beslag med liten dybde i bunnen av kappen

Omrører: Nei

Overtrykk: 6 barer

Total uttapping: Ja

Undertrykk (vakuum): 1 bar

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 100000

### Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

### Materialoversikt

Materiale: Syrefast 316



## **Tankdimensjoner**

Sylinderhøyde: 9 870 mm

Innvendig diameter: 3 600 mm

Total høyde: 11 500 mm

Ytre diameter: 3 800 mm

## **Tanktykkelse**

Bunn: 25 mm

Sylinder: 18 mm

Topp: 18 mm

## **Mer**

Isolert: Nei

Vekt: 21.000