

100 liters tank i syrefast 316



31 000 SEK /st exkl moms

Additional information: pharmacy; frame and cover, Aisi 304; some residues of previous content

Volumetric volume (L): 100 L

Pressure in tank: ATM - atmosferic

Model: vertical



Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 22 L

Max Overpressure: 6 Bar

Max. working temperature: 165 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: 25

Internal diameter tank: 645 mm

Outer diameter tank: 820 mm

Total height of tank: 1.350 mm

Total outer width: 860 mm

Total outer length: 1.050 mm

SKU: 423731

Mer information



Beskrivelse av produkt

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: apotek; ramme og deksel, Aisi 304; noen rester av tidligere innhold; vi kan ikke gi noen garantier om varme-/kjølekappen

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Volum i liter: 100

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Tankdimensjoner

Innvendig diameter: 645 mm

Total høyde: 1350 mm

Ytre diameter: 820 mm

Mer

Isolert: Ja