1000 liters tank i 304 rustfritt stål



42 000 SEK /st exkl moms

Article type: second-hand storage tank
Additional information: the tanks have never been used
Volumetric volume (L): 1.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

Model: vertical
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Top type: dished
Shape of tank: cylindrical
Bottom type: flat sloping
Total discharge: yes
Fixation points: 4 non adjustable feet

Manway(s): RVS 304
Gasket manway(s): EPDM
Valve: RVS 304
Fixation point(s): RVS 304
Suitable for food industry: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1

Position of manway: at the top
Height manhole 1 (mm): 400 mm
Outlet type: DN 50
Total outlet valve: yes
Top: 2 mm

Cylinder: 2 mm
Bottom: 2 mm
Outer diameter tank: 1.084 mm
Cylinder height: 910 mm
Feet height: 415 mm

Total outer length: 1.630 mm
Empty weight tank: 500

SKU: 454550

Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja
Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Tankene har aldri vært i bruk
Omrører: Nei
Tankens form: sylindrisk
Total uttapping: Ja
Type bunn: flat skråning
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 1000

Utstyr

Dokument finnes: Nei
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Næringsmiddelgodkjent: Ja
Teknisk tegning finnes: Nei, det er det ikke.
Utløpstype: DN 50
Utløpsventil: Ja

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 910 mm
Høyde på ben: 415 mm
Ytre diameter:

Tanktykkelse

Bunn: 2 millimeter
Sylinder: 2 millimeter
Topp: 2 millimeter

Mer

Isolert: Nei
Vekt: 500