

1000 liters tank i 304 rustfritt stål



45 000 SEK /st exkl moms

Additional information: Confectionery industry; Frame, Fe (galvanized); double jacket must be filled with heat transfer oil on site for heating; this is heated by a heating coil (capacity: 8 liters; permissible operating pressure: 4 bar; permissible operating temperature: 144° C) presumably made of stainless steel 304; inlets to the heating connections made of Fe; small dents in the insulation jacket; some residues of previous content; traces of usage



Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Total height of tank: 1.840 mm

Total outer width: 1.220 mm

Total outer length: 1.020 mm

SKU: 481224

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Konditoriindustri; Ramme, Fe (galvanisert); dobbeltmantel må fylles med varmeoverføringsolje på stedet for oppvarming; denne varmes opp av en varmespiral (innhold: 8 liter; tillatt drift

Øvrig informasjon2:

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Total høyde: 1 840 mm

Mer

Isolert: Ja