

1000 liters tank i 304 rustfritt stål



50 000 SEK /st exkl moms

item available on order

Article type: brand new palletized transporttank (not ADR) - type IBC-PL

Additional information: We can take more containers in production for you. These standardised PL IBC containers EW10.008V4N which we offer from our stock are [applicable for food use](#).

The tanks have a butterfly valve instead of a ball valve.

Volumetric volume (L): 1.000 L

Max. density P (kg/m³): 1.900

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: yes

Top type: conical

Shape of tank: cylindrical

Bottom type: flat sloping

Total discharge: yes

Fixation points: 4 stackable frame

Fixation point(s): galvanised steel

Suitable for food industry: yes

Documents included: yes, optional

Technical drawing included: yes

Registration plate on the tank: yes

Flange for agitator: no

CIP spray ball: no

Tank outlet: inside Ø 50 mm

Outlet type: DIN11850

Total outlet valve: yes

Agitator: no, optional

Top: 1,50 mm

Cylinder: 1,50 mm

Bottom: 1,50 mm

Distance from outlet to ground: 250 mm

Outer diameter tank: 1.080 mm

Cylinder height: 1.000 mm

Total height of tank: 1.542 mm

Total outer width: 1.121 mm

Total outer length: 1.121 mm

Empty weight tank: 140

SKU: 435644



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Nyprodusert

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Maksimal tetthet for produktet: 1900

Mobil tank: Ja

Øvrig informasjon: Vi kan ta flere beholdere i produksjon for deg. Disse standardiserte PL IBC-containerne EW10.008V4N som vi tilbyr fra vårt lager, kan brukes til matvarer. Tankene har en spjeldventil

Øvrig informasjon2: i stedet for en kuleventil.

Omrører: Nei

Tankens form: sylindrisk

Total uttapping: Ja

Type bunn: flat skråning

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1000



Utstyr

Flens for omrører: Nei
Merkeskilt: Ja
Næringsmiddelgodkjent: Ja
Tankutløp: innvendig Ø 50 mm
Teknisk tegning finnes: Ja
Utløpstype: DIN11850
Utløpsventil: Ja

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): galvanisert stål

Tankdimensjoner

Sylinderhøyde: 1 000 mm
Mål utløp til bakken: 250 mm
Total høyde: 1 542 mm
Ytre diameter: 1 080 mm

Tanktykkelse

Bunn: 1,50 mm
Sylinder: 1,50 mm
Topp: 1,50 mm

Mer

Isolert: Nei
Vekt: 140