

1000 liters tank i 304 rustfritt stål



85 000 SEK /st exkl moms

Additional information: Food; Heating cable (2 kW power) attached to the cylinder & underbody, protective box with heating device, temperature sensor for measuring the heating cable & product temperature

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max. working temperature: 120 °C

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Top: 2 mm

Cylinder: 2 mm

Bottom: 2,50 mm

Internal diameter tank: 1.062 mm

Total height of tank: 1.670 mm

Total outer width: 1.100 mm

Total outer length: 1.200 mm

SKU: 572252

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon:

Øvrig informasjon2: noen garantier om varme-/kjølekappen

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1000

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Innvendig diameter: 1 062 mm

Total høyde: 1670 mm

Tanktykkelse

Bunn: 2,50 mm

Sylinder: 2 millimeter

Topp: 2 millimeter

Mer

Isolert: Ja