

1000 liters tank i syrefast 316



49 000 SEK /st exkl moms

Volumetric volume (L): 1.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Fixation point(s): plastic

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.200 mm

Cylinder height: 738 mm

Total height of tank: 1.290 mm

Empty weight tank: 500

SKU: 461658

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Nyprodusert
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 1000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316
Festepunkt(er): plast

Tankdimensjoner

Sylinderhøyde: 738 mm
Innvendig diameter: 1 200 mm
Total høyde: 1 290 mm

Mer

Isolert: Nei
Vekt: 500