10000 liters tank i 304 rustfritt stål

79 000 SEK /st exkl moms

Additional information: Winery; Tank with a stronger dent in the upper cylinder area (see photos); Manhole approx. 320 x 420 mm; one side of the tank's exterior is marbled; one leg is shorter than the other two; the legs would need to be modified or shimmed accordingly before the tank is set up again); some residues of previous content
Volumetric volume (L): 10.000 L

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Outlet of tank: 90
Internal diameter tank: 1.880 mm
Cylinder height: 3.250 mm
Total height of tank: 4.250 mm
Empty weight tank: 900

SKU: 448691

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Vingård; Mannhull ca. 320 x 420 mm; Tankene er marmorert på den ene siden på utsiden; fotlengdene på de enkelte tankene er litt forskjellige (vanligvis er 1 fot kortere enn de to andre føttene);
Øvrig informasjon2: føttene må modifiseres eller fôres tilsvarende før reinstallasjon); 1 tank med en sterkere bulk i det øvre sylinderområdet (se bilder); noen rester av tidligere innhold
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 10000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 3 250 mm
Innvendig diameter: 1 880 mm
Total høyde: 4 250 mm

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Mer
Isolert: Nei
Vekt: 900

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se