


10000 liters tank i 304 rustfritt stål



247 000 SEK /st exkl moms

Additional information: Food industry; 1 loose railing and 1 pallet with various fittings are included in the scope of delivery (see photos); these attachments were not taken into account when specifying the total height; fittings could also extend beyond the foot ends when used, so that the feet would have to be supported accordingly when using these fittings (see photo of previous installation)

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Max onderdruk: 3 Bar

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: available

Agitator: yes

Number of revolutions: 16 / 32

Power: 1.8 / 3.3

Internal diameter tank: 2.450 mm

Outer diameter tank: 2.650 mm

Cylinder height: 2.000 mm

Total height of tank: 5.100 mm



SKU: 435371

Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Næringsmiddelindustri; 1 løst rekkverk og 1 pall med diverse beslag er inkludert i leveransen (se bilder); disse redskapene ble ikke tatt med i beregningen av totalhøyden;

Øvrig informasjon2:

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 10000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Sylinderhøyde: 2 000 mm

Innvendig diameter: 2450 mm

Total høyde: 5 100 mm

Ytre diameter: 2650 mm

Omrører

Effekt (kW): 1.8 / 3.3

Turtall: 16 / 32

Mer

Isolert: Ja