

## 10000 liters tank i 304 rustfritt stål



83 000 SEK /st exkl moms

**Article type:** second-hand mixing tank

**Additional information:** Please look carefully at the photos, In 2 of the 3 tanks there is still some grease on the inner wall

.; we can't give any guarantees about the agitator

**Volumetric volume (L):** 10.000 L

**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** single-skin

**Heat exchanger:** no



**Insulation:** no

**Mobile tank:** no

**Shape of tank:** cylindrical

**Bottom type:** dished

**Total discharge:** yes

**Fixation points:** 4 non adjustable feet

**Fixation point(s):** RVS 304

**Wet parts agitator(s):** SS AISI 304 (V2A)

**Suitable for food industry:** no

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Tank outlet:** inside Ø 80 mm

**Agitator:** yes

**Cylinder:** 3 mm

**Bottom:** 4 mm

**Internal diameter tank:** 1.920 mm

**Distance from outlet to ground:** 700 mm

**Outer diameter tank:** 2.020 mm

**Cylinder height:** 3.540 mm

**Total height of tank:** 5.600 mm

**Empty weight tank:** 1.250

**SKU:** 427994



## Mer information

### Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Vennligst se nøye på bildene, i 2 av de 3 tankene er det fortsatt litt fett på innerveggen; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Tankens form: sylindrisk

Total uttapping:

Type bunn: tallerken

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 10000

### Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Tankutløp: innvendig Ø 80 mm

Teknisk tegning finnes: Nei, det er det ikke.

### Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): RVS 304

Material væskeberörd del på omrörare: SS AISI 304 (V2A)



## **Tankdimensjoner**

Sylinderhøyde: 3 540 mm

Innvendig diameter: 1 920 mm

Mål utløp til bakken: 700 mm

Total høyde: 5 600 mm

Ytre diameter: 2 020 mm

## **Tanktykkelse**

Bunn: 4 mm

Sylinder: 3 mm

## **Mer**

Isolert: Nei

Vekt: 1.250