

10000 liters tank i 304 rustfritt stål



180 000 SEK /st exkl moms

Additional information: Tank designed for LNG filling station but never used; a pipe bundle is installed in the interior via the flange, which can be used for temperature control; 2 transport blocks made of Fe are present; part of the insulation & insulating jacket is missing in the upper part of the cylinder; ; some residues of previous content; dents at the cylinder

Volumetric volume (L): 10.000 L



Pressure in tank: pressure

Max. pressure (Bar): 18 Bar

Min. pressure (Bar): 18 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outer diameter tank: 1.850 mm

Cylinder height: 5.239 mm

Total height of tank: 7.700 mm

Total outer width: 2.300 mm

SKU: 421277

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 50 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon:

Øvrig informasjon2: isolerende kappe mangler i øvre del av sylindren; noen rester av tidligere innhold; bulker på sylindren; vi kan ikke gi noen garantier om varme- / kjølekappen

Omrører: Nei

Overtrykk: 18 barer

Total uttapping: Nei, det er det ikke.

Undertrykk (vakuum): 18 Bar

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 10000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 5 239 mm

Total høyde: 7 700 mm

Ytre diameter: 1 850 mm

Mer

Isolert: Ja