

10000 liters tank i 304 rustfritt stål





87 000 SEK /st exkl moms

Additional information: Liquid sugar; 1 manhole approx. 320 x 420 mm in the cylinder, 1 handhole diameter 250 mm in the upper bottom; total height according to drawing; Tank on base plate with slope to the outlet (for installation, an appropriate foundation would have to be built on site); upper bottom and top cylinder segment made of 1.4571 (Aisi 316); Tank has been professionally cleaned and overhauled by the manufacturer in 2024; brand new residual drain valves (reduces outlet to DN 50 DIN 11851 (with disc valve)), sampling valves and manhole seals were installed

Volumetric volume (L): 10.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: 100

Agitator: yes

Number of revolutions: 950

Power: 5,50

Top: 3 mm

Internal diameter tank: 2.200 mm

Total height of tank: 3.450 mm

SKU: 449012



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Flytende sukker; 1 mannhull ca. 320 x 420 mm i sylindere, 1 håndhull diameter 250 mm i øvre bunn; total høyde i henhold til tegning; Tank på bunnplate med skråning til utløpet (for

Øvrig informasjon2:

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 10000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Innvendig diameter: 2 200 mm

Total høyde: 3 450 mm

Omrører

Effekt (kW): 5,50

Turtall: 950

Tanktykkelse

Topp: 3 mm

Mer

Isolert: Nei