

10000 liters tank i syrefast 316



86 000 SEK /st exkl moms

Article type: second-hand storage tank

Volumetric volume (L): 10.000 L

Pressure in tank: pressure

Design pressure (Bar): 0,10 Bar

Max. pressure (Bar): 0,10 Bar

Material wet parts: SS AISI 316L (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: conical

Shape of tank: cylindrical

Bottom type: flat

Bottom outlet: yes

Total discharge: no

Manway(s): RVS 316

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Tank outlet: inside Ø 80 mm

Agitator: no, optional

Distance from outlet to ground: 255 mm

Outer diameter tank: 1.900 mm

Cylinder height: 3.500 mm

Total height of tank: 3.980 mm

Empty weight tank: 900

SKU: 414458

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: trykk
Designntrekk for tanken: 0,10 bar
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Overtrykk: 0,10 bar
Tankens form: sylindrisk
Total uttapping: Nei, det er det ikke.
Type bunn: flat
Trykktank: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 316L (V4A)
Volum i liter: 10000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Ja
Tankutløp: innvendig Ø 80 mm
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316
Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 3 500 mm
Mål utløp til bakken: 255 mm
Total høyde: 3 980 mm
Ytre diameter: 1 900 mm



Mer

Isolert: Nei

Vekt: 900