

10085 liter tank i rustfritt stål 304



92 000 SEK /st exkl moms

Additional information: Fragrance production (alcoholic scents); 2 loose bearing shells, Aisi 304; 1 manhole approx. 345 x 440 mm in the front bottom; 1 tank marbled down to the rear bottom, the other tank only the front bottom; Tanks were screwed to the frame of 2 similar tanks at the previous operator (we currently offer these tanks under order no. 8910; while stocks last)

Volumetric volume (L): 10.085 L



Pressure in tank: ATM - atmosferic
Max. temperature (°C): 50 °C
Material wet parts: SS AISI 304 (V2A)

Model: horizontal
Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no

Total discharge: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Outlet of tank: available
Cylinder: 4 mm
Bottom: 5 mm
Internal diameter tank: 1.700 mm
Total height of tank: 2.000 mm

Total outer length: 4.950 mm

SKU: 408764

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Horisontal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 50 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Parfymeproduksjon (alkoholholdige dufter); 2 løse lagerskall, Aisi 304; 1 mannhull ca. 345 x 440 mm i den fremre bunnen; 1 tank marmorert ned til den bakre bunnen, den andre tanken bare den fremre

Øvrig informasjon2: bunn; Tankene ble skrudd fast på rammen til 2 lignende tanker hos den forrige operatøren (vi tilbyr for tiden disse tankene under bestillingsnummer 8910; så lenge lageret rekker)

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 10085

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Innvendig diameter: 1 700 mm

Total høyde: 2 000 mm



Tanktykkelse

Bunn: 5 mm

Sylinder: 4 mm

Mer

Isolert: Nei