

1023 liters tank i rustfritt stål 304





57 000 SEK /st exkl moms

Volumetric volume (L): 1.023 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Max. working temperature: 80 °C

Fixation point(s): galvanised steel

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.080 mm

Cylinder height: 1.000 mm

Total height of tank: 1.500 mm

Empty weight tank: 0,25

SKU: 415037



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 80 °C

Mobil tank: Nei, det er det ikke.

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1023

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): galvanisert stål

Tankdimensjoner

Sylinderhøyde: 1 000 mm

Innvendig diameter: 1 080 mm

Total høyde: 1 500 mm

Mer

Isolert: Nei

Vekt: 0,25

