

110 liters tank i syrefast 316



41 000 SEK /st exkl moms

Additional information: Autoclave for sterile masks; Principle drawing available; stainless steel 304 frame

Volumetric volume (L): 110 L

Pressure in tank: pressure

Max. pressure (Bar): 3 Bar



Min. pressure (Bar): 3 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Internal diameter tank: 400 mm

Cylinder height: 820 mm

Total height of tank: 1.150 mm

SKU: 569318

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Autoklav for sterile masker; prinsipptegning tilgjengelig; ramme i rustfritt stål 304

Omrører: Nei

Overtrykk: 3 barer

Total uttapping: Nei, det er det ikke.

Undertrykk (vakuum): 3 barer

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 110

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 820 mm

Innvendig diameter: 400 mm

Total høyde: 1 150 mm



Mer

Isolert: Nei