

1100 liters tank i rustfritt stål 304



26 000 SEK /st exkl moms

Additional information: Chemistry; Accessible frame, Aisi 304; some residues of previous content; traces of usage

Volumetric volume (L): 1.100 L

Pressure in tank: ATM - atmospheric

Max. temperature (°C): 70 °C



Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: yes

Volume: 10 L

Max Overpressure: 3 Bar

Max. working temperature: 70 °C

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: headside

Outlet of tank: 45

Internal diameter tank: 1.090 mm

Cylinder height: 970 mm

Total height of tank: 1.600 mm

SKU: 450413

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 70 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Kjemi; tilgjengelig ramme, Aisi 304; noen rester av tidligere innhold; spor av bruk

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Veskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1100

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Ja

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 970 mm

Innvendig diameter: 1 090 mm

Total høyde: 1 600 mm

Mer

Varmeveksler: RVS 304

Isolert: Nei

