1100 liters tank i rustfritt stål 304

45 000 SEK /st exkl moms

Additional information: Food; 4 openings for former direct steam heating in the underbody
Volumetric volume (L): 1.100 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: insulated
Heat exchanger: no
Insulation: yes
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: headside

Outlet of tank: available
Internal diameter tank: 1.090 mm
Outer diameter tank: 1.200 mm
Cylinder height: 1.180 mm
Total height of tank: 2.250 mm

SKU: 622916

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: isolert
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Mat; 4 åpninger for tidligere direkte dampoppvarming i understellet
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 1100

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 1 180 mm
Innvendig diameter: 1 090 mm
Total høyde: 2 250 mm
Ytre diameter: 1 200 mm

Mer

Isolert: Ja

Rodervägen 57
891 78 Bonässund
info@processoverskott.se