

1140 liters tank i syrefast 316



25 000 SEK /st exkl moms

Additional information: Cosmetics; Stainless steel 304 frame; traces of usage

Volumetric volume (L): 1.140 L

Pressure in tank: pressure

Max. pressure (Bar): 1,50 Bar



Max. temperature (°C): 95 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN65 DIN 11851

Internal diameter tank: 1.050 mm

Total height of tank: 2.250 mm

SKU: 488780

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 95 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Kosmetikk; Ramme i rustfritt stål 304; bruksspor

Omrører: Nei

Overtrykk: 1,50 bar

Total uttapping: Ja

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 1140

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Innvendig diameter: 1 050 mm

Total høyde: 2 250 mm

Mer

Isolert: Nei