

1150 liters tank i rustfritt stål 304



48 000 SEK /st exkl moms

Volumetric volume (L): 1.150 L

Pressure in tank: pressure

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: open

Total discharge: yes

Volume: 4 L

Max Overpressure: 5 Bar

Max. working temperature: 80 °C

Fixation point(s): plastic

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.200 mm

Total height of tank: 1.220 mm

Total outer width: 1.260 mm

Empty weight tank: 160

SKU: 455024

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Nyprodusert

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkeltmantlet med varmeveksler

Maks. arbeidstemperatur: 80 °C

Mobil tank: Nei, det er det ikke.

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1150

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): plast

Tankdimensjoner

Innvendig diameter: 1 200 mm

Total høyde: 1 220 mm

Mer

Isolert: Nei

Vekt: 160