

11500 liters tank i syrefast 316



92 000 SEK /st exkl moms

Additional information: dimethylanilin; Total height specified according to technical drawing

Volumetric volume (L): 11.500 L

Pressure in tank: pressure

Max. pressure (Bar): 1 Bar



Max. temperature (°C): 100 °C

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN80

Top: 4 mm

Cylinder: 4 mm

Bottom: 5 mm

Internal diameter tank: 2.000 mm

Cylinder height: 3.491 mm

Total height of tank: 6.600 mm

SKU: 475534

Mer information



Beskrivelse av produkt

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: isolert

Maks. arbeidstemperatur: 100 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: dimetylanilin; Total høyde spesifisert i henhold til teknisk tegning

Omrører: Nei

Overtrykk: 1 bar

Total uttapping:

Trykktank: Ja

Oppvarming/kjøling: Nei

Volum i liter: 11500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Tankdimensjoner

Sylinderhøyde: 3,491 mm

Innvendig diameter: 2 000 mm

Total høyde: 6 600 mm

Tanktykkelse

Bunn: 5 mm

Sylinder: 4 mm

Topp: 4 mm

Mer

Isolert: Ja

