

118 000 liter tank i syrefast 316



363 000 SEK /st exkl moms

Volumetric volume (L): 118.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,99 Bar

Min. pressure (Bar): 0,25 Bar

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN100

Agitator: yes

Internal diameter tank: 4.410 mm

Outer diameter tank: 4.700 mm

Cylinder height: 6.500 mm

Total height of tank: 10.860 mm

SKU: 406283

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: isolert

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Overtrykk: 0,99 bar

Total uttapping: Ja

Undertrykk (vakuum): 0,25 bar

Trykktank: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 118000

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 6 500 mm

Innvendig diameter: 4 410 mm

Total høyde: 10 860 mm

Ytre diameter: 4 700 mm



Mer

Isolert: Ja