

1200 liters tank i syrefast 316



21 000 SEK /st exkl moms

Additional information: Cosmetics; 4-legged frame made of stainless steel 304; cone height approx. 580 mm; manhole diameter approx. 455 mm; outlets slightly bent upwards (hand lever of the disk tap bent in one container).; traces of usage

Volumetric volume (L): 1.200 L

Pressure in tank: ATM - atmospheric



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN65 DIN 11851

Internal diameter tank: 1.190 mm

Cylinder height: 900 mm

Total height of tank: 2.280 mm

SKU: 488714

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon:
Øvrig informasjon2: spor av bruk
Omrører: Nei
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 316 (V4A)
Volum i liter: 1200

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 900 mm
Innvendig diameter: 1190 mm
Total høyde: 2 280 mm

Mer

Isolert: Nei