

12000 liters tank i syrefast 316



98 000 SEK /st exkl moms

Additional information: on request - up to 11 pieces available

Volumetric volume (L): 12.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 50 °C



Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: cylinder

Outlet of tank: available

Internal diameter tank: 2.120 mm

Cylinder height: 3.000 mm

Total height of tank: 4.400 mm

Empty weight tank: 1.000

SKU: 565277

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 50 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Kosmetikk; på forespørsel – opptil 11 stykker tilgjengelig

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 12000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Sylinderhøyde: 3 000 mm

Innvendig diameter: 2,120 mm

Total høyde: 4 400 mm

Mer

Isolert: Nei

Vekt: 1.000