

1250 liters tank i rustfritt stål 304



24 000 SEK /st exkl moms

Article type: second-hand transport tank

Additional information: Both used tanks in very good condition, previous product was beer.

Volumetric volume (L): 1.250 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: dished
Shape of tank: cylindrical
Bottom type: flat sloping
Total discharge: yes
Fixation points: 4 stackable frame

Manway(s): RVS 304
Gasket manway(s): EPDM
Valve: RVS 304
Gasket shut-off valve (mat): EPDM
Fixation point(s): galvanised steel

Suitable for food industry: yes
Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no

Number of manways: 1
Position of manway: at the top
Height manhole 1 (mm): 400 mm
Tank outlet: inside Ø 32 mm
Outlet type: DIN 32676

Total outlet valve: yes
Distance from outlet to ground: 230 mm
Outer diameter tank: 1.030 mm
Cylinder height: 1.295 mm
Total height of tank: 1.730 mm

Total outer width: 1.125 mm
Total outer length: 1.125 mm
Empty weight tank: 250

SKU: 569735



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Begge brukte tanker i veldig god stand, forrige produkt var øl.

Omrører: Nei

Tankens form: sylindrisk

Total uttapping:

Type bunn: flat skråning

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1250

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Næringsmiddelgodkjent: Ja

Tankutløp: innvendig Ø 32 mm

Teknisk tegning finnes: Nei, det er det ikke.

Utløpstype: DIN 32676

Utløpsventil: Ja

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): galvanisert stål



Tankdimensjoner

Sylinderhøyde: 1,295 mm

Mål utløp til bakken: 230 mm

Total høyde: 1730 mm

Ytre diameter: 1 030 mm

Mer

Isolert: Nei

Vekt: 250