

12500 liters tank i rustfritt stål 304



163 000 SEK /st exkl moms

Additional information: Wine storage; Heating / cooling jacket (Thermoplate) by approx. 1,220 mm of the cylinder height; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; Outlet DN 100 DIN 11851, screwed on a taper with butterfly valve DN 50 DIN 11851 (see photos); If you are looking for another tank that is identical to this item, we can possibly offer you 1 identical tank from an external warehouse (no guarantee)



Volumetric volume (L): 12.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single jacketed with heat-exchanger

Heat exchanger: yes

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: cylinder

Internal diameter tank: 1.960 mm

Cylinder height: 3.950 mm

Total height of tank: 5.050 mm

SKU: 400160

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkeltmantlet med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Vinlagring; Oppvarming / kjølekappe (Thermoplate) med ca. 1 220 mm av sylinderhøyden; Mannhull ca. 325 x 425 mm; 1 håndhull diameter 200 mm i øvre bunn; Utløp DN 100 DIN

Omrører: Nei

Total uttapping: Nei, det er det ikke.

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 12500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 3 950 mm

Innvendig diameter: 1 960 mm

Total høyde: 5 050 mm

Mer

Isolert: Nei