

12500 liters tank i rustfritt stål 304



96 000 SEK /st exkl moms

Additional information: Chemistry (plant extracts); Manhole diameter approx. 410 mm; adhesions and slight metallic discolouration inside the tank

Volumetric volume (L): 12.500 L

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN50 DIN 11851

Internal diameter tank: 1.980 mm

Cylinder height: 4.000 mm

Total height of tank: 4.900 mm

SKU: 438530

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Kjemi (planteekstrakter); Mannhulldiameter ca. 410 mm; vedheft og svak metallisk misfarging inne i tanken

Omrører: Nei

Total uttapping: Nei, det er det ikke.

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 12500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 4 000 mm

Innvendig diameter: 1 980 mm

Total høyde: 4 900 mm

Mer

Isolert: Nei