

1285 liter tank i rustfritt stål 304



114 000 SEK /st exkl moms

Additional information: According to the previous operator, the vessels were last used as fermentation tanks in a brewery with an operating pressure of + 2 bar. According to the drawing, the tanks were approved with a test pressure of +4 bar. However, a TÜV test was not carried out; manhole diameter 350 mm; 1 height-adjustable spherical head screw of the feet is missing on one vessel; the suspension of the manhole cover is incomplete on 1 vessel.; some residues of previous content



Volumetric volume (L): 1.285 L

Pressure in tank: pressure

Max. pressure (Bar): 2 Bar

Min. pressure (Bar): 2 Bar

Max. temperature (°C): 50 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: DN40 DIN 11851

Top: 2,50 mm

Cylinder: 2 mm

Bottom: 2 mm

Internal diameter tank: 1.000 mm

Outer diameter tank: 1.160 mm

Cylinder height: 1.250 mm

Total height of tank: 3.050 mm

SKU: 403298



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 50 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Bryggeri; Ifølge informasjon fra den tidligere operatøren ble tankene sist brukt som gjæringstanker i et bryggeri med et driftstrykk på +2 bar. I henhold til tegningen er tankene

Øvrig informasjon2:

Omrører: Nei

Overtrykk: 2 barer

Total uttapping: Ja

Undertrykk (vakuum):

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1285

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Sylinderhøyde: 1250 mm

Innvendig diameter: 1 000 mm

Total høyde: 3 050 mm

Ytre diameter: 1 160 mm

Tanktykkelse

Bunn: 2 millimeter

Sylinder: 2 millimeter

Topp: 2,50 mm

Mer

Isolert: Ja