

13000 liters tank i 304 rustfritt stål



113 000 SEK /st exkl moms

Additional information: 1 manhole approx. 300 x 395 mm in the front base; 3 loose bearing shells, Fe; 1 dent in the transition cylinder/front base (see photos)

Volumetric volume (L): 13.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: horizontal

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Outlet of tank: DN65 DIN 11851

Internal diameter tank: 2.190 mm

Outer diameter tank: 2.700 mm

Total height of tank: 2.550 mm

Total outer length: 4.100 mm

SKU: 435293

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Horisontal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Bryggeri; 1 mannhull ca. 300 x 395 mm i fremre bunn; 3 løse lagerskall, Fe; 1 bulk i overgangssylinder/fremre bunn (se bilder)

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 13000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Innvendig diameter: 2 190 mm

Total høyde: 2 550 mm

Ytre diameter: 2700 mm

Mer

Isolert: Nei