

1350 liters tank i rustfritt stål 304



101 000 SEK /st exkl moms

Additional information: Original calculation overpressure of the inner tank according to technical documents 6.3 bar (test overpressure 8.2 bar); agitator in the manhole cover was probably retrofitted by the previous operator; some residues of previous content

Volumetric volume (L): 1.350 L

Pressure in tank: pressure



Max. pressure (Bar): 6,30 Bar

Min. pressure (Bar): 6,30 Bar

Max. temperature (°C): 120 °C

Material wet parts: SS AISI 316 (V4A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 20 L

Max Overpressure: 10 Bar

Max. working temperature: 140 °C

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: flange DN32

Agitator: yes

Number of revolutions: 720 / 970

Power: 0.75 / 1.3

Top: 7,90 mm

Cylinder: 6 mm

Internal diameter tank: 1.100 mm

Outer diameter tank: 1.350 mm

Cylinder height: 1.100 mm

Total height of tank: 2.900 mm

SKU: 572006



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 120 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Opprinnelig beregnet overtrykk i den indre tanken i henhold til tekniske dokumenter 6,3 bar (testovertrykk 8,2 bar); omrøreren i mannhullsdekselet ble sannsynligvis ettermontert av den tidligere

Øvrig informasjon2: operatør; noen rester av tidligere innhold; vi kan ikke gi noen garantier for varme-/kjølekappen; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Overtrykk: 6,30 bar

Total uttapping: Ja

Undertrykk (vakuum):

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1350

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.



Materialöversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 1 100 mm

Innvendig diameter: 1 100 mm

Total høyde: 2900 mm

Ytre diameter: 1350 mm

Omrører

Effekt (kW): 0.75 / 1.3

Turtall: 720 / 970

Tanktykkelse

Sylinder: 6 millimeter

Topp: 7,90 mm

Mer

Isolert: Ja