

1355 liters tank i 304 rustfritt stål



119 000 SEK /st exkl moms

Additional information: cosmetics

Volumetric volume (L): 1.355 L

Pressure in tank: pressure and vacuum

Min. pressure (Bar): 1 Bar



Max. temperature (°C): 133 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 60 L

Max Overpressure: 4 Bar

Max. working temperature: 155 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: headside

Outlet of tank: flange DN65

Agitator: yes

Number of revolutions: 145 - 860

Internal diameter tank: 1.140 mm

Outer diameter tank: 1.600 mm

Cylinder height: 1.150 mm

Total height of tank: 3.200 mm

SKU: 486878



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: vakuum

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 133 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: kosmetikk; vi kan ikke gi noen garantier for varme-/kjølekappen; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Total uttapping: Ja

Undertrykk (vakuum): 1 bar

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1355

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Sylinderhøyde: 1 150 mm

Innvendig diameter: 1140 mm

Total høyde: 3 200 mm

Ytre diameter: 1 600 mm

Omrører

Turtall: 145 – 860

Mer

Isolert: Ja