

1400 liter tank i rustfritt stål 304



35 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: The tank is placed on a scale.; we can't give any guarantees about the agitator

Volumetric volume (L): 1.400 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: flat

Shape of tank: cylindrical

Bottom type: flat

Bottom outlet: yes

Total discharge: yes

Fixation points: not foreseen

Manway(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: at the top

Height manhole 1 (mm): 645 mm x H 577 mm

Tank outlet: inside Ø 65 mm

Agitator: yes

Agitator type: disk agitator

Position engine: at the top

Number of revolutions: 900

Power: 1,50

Voltage: three-phase

Internal diameter tank: 1.398 mm

Distance from outlet to ground: 150 mm

Outer diameter tank: 1.440 mm

Cylinder height: 970 mm

Total height of tank: 1.560 mm

Empty weight tank: 650

SKU: 701939



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tanken er plassert på en vekt. Vekten fungerer som den skal; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Tankens form: sylindrisk

Total uttapping:

Type bunn: flat

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1400

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Tankutløp: innvendig Ø 65 mm

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Sylinderhøyde: 970 mm
Innvendig diameter: 1 398 mm
Mål utløp til bakken: 150 mm
Total høyde: 1560 mm
Ytre diameter: 1 440 mm

Omrører

Effekt (kW): 1,50
Motorposisjon: på toppen
Type omrører: skiveomrører
Turtall: 900
Spennings (Volt): trefaset

Mer

Isolert: Nei
Vekt: 650