

150 liters tank i rustfritt stål 304



27 000 SEK /st exkl moms

item available on order

Article type: brand new mixing tank

Additional information: open tank on 3 legs; disk agitator in SS stainless-steel AISI 304 (V2A): 0,37 kW - 1.500 rpm; lantern ring in aluminium

Volumetric volume (L): 150 L

Max. density P (kg/m³): 1.000

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin



Heat exchanger: no

Insulation: no

Mobile tank: no

Top type: eccentric bridge

Shape of tank: cylindrical

Bottom type: flat

Bottom outlet: yes

Total discharge: no

Fixation points: 3 non adjustable feet

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Tank outlet: inside Ø 32 mm

Outlet type: BSP male

Agitator type: disk agitator

Position engine: at the top

Number of revolutions: 1.500

Power: 0,37

Outer diameter tank: 630 mm

Total height of tank: 980 mm

Empty weight tank: 85

SKU: 374591



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Nyprodusert

Konfiguration: enkelthudet

Maksimal tetthet for produktet: 1000

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: åpen tank på 3 ben; skiveomrører i rustfritt stål AISI 304 (V2A): 0,37 kW – 1.500 o/min; lanternering i aluminium

Omrører: Nei

Tankens form: sylindrisk

Total uttapping: Nei, det er det ikke.

Type bunn: flat

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 150

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Tankutløp: innvendig Ø 32 mm

Teknisk tegning finnes: Nei, det er det ikke.

Utløpstype: BSP MANN

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Total høyde: 980 mm

Ytre diameter: 630 mm



Omrører

Effekt (kW): 0,37

Motorposisjon: på toppen

Type omrører: skiveomrører

Turtall: 1.500

Mer

Isolert: Nei

Vekt: 85