

1500 liters tank i rustfritt stål 304



37 000 SEK /st exkl moms

Article type: second-hand transport tank

Volumetric volume (L): 1.500 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Shape of tank: oval



Bottom type: dished
Total discharge: yes
Fixation points: supports for platform
Insulation material: Rockwool
Outer jacket (ornamental wall): polyester

Manway(s): RVS 304
Gasket manway(s): unknown
Fixation point(s): painted steel
Suitable for food industry: yes
Documents included: no

Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Number of manways: 1
Position of manway: at the top

Height manhole 1 (mm): 400 mm
Tank outlet: inside Ø 65 mm
Total height of tank: 1.370 mm
Total outer width: 1.750 mm
Total outer length: 1.320 mm

Empty weight tank: 420

SKU: 481615

Mer information



Beskrivelse av produkt

Næringsmiddelgodkjent: Ja
Materiale: Rustfritt stål 304
Modell: Horisontal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank:
Konfiguration: isolert
Mobil tank: Nei, det er det ikke.
Omrører: Nei
Tankens form: oval
Total uttapping:
Type bunn: tallerken
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 1500

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Næringsmiddelgodkjent: Ja
Tankutløp: innvendig Ø 65 mm
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): lakkert stål
Isolasjonsmateriale: Rockwool
Utvendig kledning: polyester

Tankdimensjoner

Total høyde: 1,370 mm



Tykkelse på ytterbekledning og isolasjon

Isolasjonsmateriale: Rockwool

Mer

Isolert: Ja

Vekt: 420