

15000 liters tank i rustfritt stål 304



172 000 SEK /st exkl moms

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical



Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: flange DN65

Agitator: yes

Number of revolutions: 28 / 34

Power: 11 / 11

Outer diameter tank: 2.500 mm

Cylinder height: 3.000 mm

Total height of tank: 6.100 mm

Empty weight tank: 2.000

SKU: 569237

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: mat; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 15000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 3 000 mm

Total høyde: 6 100 mm

Ytre diameter: 2 500 mm

Omrører

Effekt (kW): 11 / 11

Turtall: 28 / 34



Mer

Isolert: Nei

Vekt: 2.000