

15000 liters tank i rustfritt stål 304



214 000 SEK /st exkl moms

Additional information: Crystallization tank in a dairy; Double jacket of 1 tank with a drip ring - only suitable for cooling; 2 tanks may not have a drip ring; smaller dents and sometimes small cracks in the insulation jacket, 1 tank with stronger dents in the insulation jacket (this tank is probably damaged in the gearbox bearing of the agitator); tank drawing partially different from the tanks; If you are looking for tanks that are identical to this item, we can offer you 3 identical or similar models from an external warehouse (no



guarantee); pipe end cut flush

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Max. temperature (°C): 100 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated with heat-exchanger

Heat exchanger: yes

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 1.800 L

Max. working temperature: 100 °C

Type HE on the bottom: heating/cooling jacket

Type HE on the cylinder: heating/cooling jacket

Heat exchanger: RVS 304

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Outlet of tank: 80

Agitator: yes

Number of revolutions: 19,60

Internal diameter tank: 2.400 mm

Outer diameter tank: 2.550 mm

Total height of tank: 6.400 mm

SKU: 410639



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 100 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Krystalliseringstank i et meieri; Dobbel kappe på 1 tank med dryppring – kun egnet for kjøling; 2 tanker har kanskje ikke dryppring; mindre bulker og noen ganger små sprekker i isolasjonen

Øvrig informasjon2:

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 15000

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Innvendig diameter: 2 400 mm

Total høyde: 6 400 mm

Ytre diameter: 2 550 mm

Omrører

Turtall: 19,60

Mer

Varmeveksler: RVS 304

Isolert: Ja