

15000 liters tank i rustfritt stål 304



83 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: Dents in the cylinder --> see photos

Volumetric volume (L): 15.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: conical

Shape of tank: cylindrical

Bottom type: conical

Bottom outlet: yes

Total discharge: yes

Fixation points: 4 non adjustable feet

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Hinged lid: yes

Tank outlet: inside Ø 130 mm

Agitator: no

Distance from outlet to ground: 110 mm

Outer diameter tank: 2.550 mm

Cylinder height: 3.020 mm

Total height of tank: 3.950 mm

Empty weight tank: 850

SKU: 485951



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Bulker i sylindren -> se bilder

Omrører: Nei

Tankens form: sylindrisk

Total uttapping:

Type bunn: konisk

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 15000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Tankutløp: innvendig Ø 130 mm

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): RVS 304

Tankdimensjoner

Sylinderhøyde: 3 020 mm

Mål utløp til bakken: 110 mm

Total høyde: 3 950 mm

Ytre diameter: 2 550 mm



Mer

Isolert: Nei

Vekt: 850