

15600 liter tank i rustfritt stål 304



154 000 SEK /st exkl moms

Additional information: Pet food; Diameter manhole approx. 510 mm; 1 x outlet flange diameter pipe inside 80 mm, 1 x threaded outlet diameter pipe inside approx. 150 mm; 1 lateral agitator was welded into the lower cylinder area by the previous operator; the heating coil may have been damaged in the process; insulation was screwed over the heating connections of the cylinder heating coil; the thermoplate on the lower base of one tank has been cut open and the heating connections have been cut out; insulation shows



signs of damage (dents, sheet metal cut-outs) and is no longer present around the lower base of one tank;
build-up inside the tanks

Volumetric volume (L): 15.600 L

Pressure in tank: pressure

Max. temperature (°C): 80 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Max Overpressure: 2 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Position of manway: headside

Outlet of tank: available

Agitator: yes

Power: 0,75

Cylinder: 3 mm

Bottom: 4 mm

Internal diameter tank: 2.388 mm

Outer diameter tank: 2.520 mm

Cylinder height: 3.250 mm

Total height of tank: 5.150 mm

SKU: 413573



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 80 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Kjæledyrsmat; Mannhulldiameter ca. 510 mm; 1 x utløpsflens diameter rør innvendig 80 mm, 1 x gjenget utløpsdiameter rør innvendig ca. 125 mm; 1 sideveis røreverk ble sveiset inn i den nedre

Øvrig informasjon2:

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 15600

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304



Tankdimensjoner

Sylinderhøyde: 3 250 mm

Innvendig diameter: 2,388 mm

Total høyde: 5 150 mm

Ytre diameter: 2 520 mm

Omrører

Effekt (kW): 0,75

Tanktykkelse

Bunn: 4 mm

Sylinder: 3 mm

Mer

Isolert: Ja