

16000 liters tank i syrefast 316



155 000 SEK /st exkl moms

Additional information: Rennet production

Volumetric volume (L): 16.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 316 (V4A)



Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN40 DIN 11851

Agitator: yes

Internal diameter tank: 2.185 mm

Outer diameter tank: 2.340 mm

Total height of tank: 5.600 mm

SKU: 403610

Mer information



Beskrivelse av produkt

Materiale: Syrefast 316

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Løpeproduksjon; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 316 (V4A)

Volum i liter: 16000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Syrefast 316

Tankdimensjoner

Innvendig diameter: 2,185 mm

Total høyde: 5 600 mm

Ytre diameter: 2340 mm

Mer

Isolert: Ja