

16500 liters tank i rustfritt stål 304



233 000 SEK /st exkl moms

Additional information: Vegetable fat tank in an ice cream factory; Heating coil around approx. half the cylinder height and the lower base; iso jacket around the entire vessel (1 vessel with smaller bumps in the iso jacket); some residues of previous content; pipe end cut flush

Volumetric volume (L): 16.500 L

Pressure in tank: pressure

Max. temperature (°C): 90 °C

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 108 L

Max Overpressure: 3 Bar

Max. working temperature: 90 °C

Type HE on the bottom: half pipe welded onto the outside of the innertank

Type HE on the cylinder: half pipe welded onto the outside of the innertank

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: yes

Position of manway: cylinder

Outlet of tank: 65

Internal diameter tank: 2.510 mm

Outer diameter tank: 2.680 mm

Total height of tank: 4.450 mm

SKU: 424274

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Maks. arbeidstemperatur: 90 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tank for vegetabilsk fett i en iskremfabrikk; Varmespiral rundt ca. halvparten av sylinderhøyden og den nedre bunnen; Isolasjonsmantel rundt hele tanken (1 tank med mindre bulker i

Øvrig informasjon2: isolerende kappe); noen rester av tidligere innhold; rørenden er kuttet i flukt; vi kan ikke gi noen garantier om varme-/kjølekappen

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 16500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Ja

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Innvendig diameter: 2510 mm

Total høyde: 4 450 mm

Ytre diameter: 2680 mm



Mer

Isolert: Ja