

1700 liters tank i rustfritt stål 304



38 000 SEK /st exkl moms

Article type: second-hand mixing tank

Additional information: The tank is placed on a scale.; we can't give any guarantees about the agitator

Volumetric volume (L): 1.700 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: flat

Shape of tank: cylindrical

Bottom type: flat

Total discharge: yes

Fixation points: not foreseen

Manway(s): RVS 304

Suitable for food industry: no

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: headside

Height manhole 1 (mm): 500 mm x H 650 mm

Tank outlet: inside Ø 50 mm

Agitator: yes

Agitator type: disk agitator

Position engine: at the top

Voltage: three-phase

Internal diameter tank: 1.504 mm

Distance from outlet to ground: 205 mm

Outer diameter tank: 1.600 mm

Cylinder height: 1.000 mm

Total height of tank: 1.650 mm

Empty weight tank: 600

SKU: 701972



Mer information

Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Tanken er plassert på en vekt. Vekten fungerer som den skal; vi kan ikke gi noen garantier for omrøreren

Omrører: Ja

Tankens form: sylindrisk

Total uttapping: Ja

Type bunn: flat

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 1700

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Tankutløp: innvendig Ø 50 mm

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 1 000 mm

Innvendig diameter: 1 504 mm

Mål utløp til bakken: 205 mm

Total høyde: 1 650 mm

Ytre diameter: 1 600 mm



Omrører

Motorposisjon: på toppen
Type omrører: skiveomrører
Spenning (Volt): trefaset

Mer

Isolert: Nei
Vekt: 600