

17000 liters tank i syrefast 316



306 000 SEK /st exkl moms

Additional information: Pharmaceutical chemistry; Dismantling not yet included in price, will be quoted based on actual work performed; The BOLZ conical screw mixer works according to the proven principle of a rotating mixing screw being guided along the wall of the conical vessel at constant close distance by means of an orbital arm. The product flow maintains an intense yet gentle mixing and product displacement. Suited for demanding bulk solids of the pharmaceutical, chemical and food industries, it ensures a unique and



gentle mixing process.

Volumetric volume (L): 17.000 L

Pressure in tank: pressure and vacuum

Max. pressure (Bar): 0,10 Bar

Min. pressure (Bar): 0,10 Bar

Max. temperature (°C): 80 °C

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: no

Max Overpressure: 0,10 Bar

Max onderdruk: 0,10 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Position of manway: in the bottom

Agitator: yes

Top: 15 mm

Bottom: 5 mm

Internal diameter tank: 3.230 mm

Total height of tank: 6.850 mm

SKU: 405149



Mer information

Beskrivelse av produkt

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk og vakuum

Konfiguration: enkelthudet

Maks. arbeidstemperatur: 80 °C

Mobil tank: Nei, det er det ikke.

Øvrig informasjon:

Omrører: Ja

Overtrykk: 0,10 bar

Total uttapping: Nei, det er det ikke.

Undertrykk (vakuum): 0,10 bar

Trykktank: Ja

Oppvarming/kjøling: Nei

Volum i liter: 17000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Tankdimensjoner

Innvendig diameter: 3 230 mm

Total høyde: 6 850 mm

Tanktykkelse

Bunn: 5 mm

Topp: 15 mm

Mer

Isolert: Nei

