

17500 liters tank i rustfritt stål 304



134 000 SEK /st exkl moms

Additional information: Wine storage; Manhole approx. 325 x 425 mm; 1 handhole diameter 200 mm in the upper bottom; outlet DN 100 DIN 11851, screwed on a taper with disc tap DN 50 DIN 11851 (see photos); wall thickness of the lowest cylinder segment: 2.5 mm; If you are looking for an identical tank to this item, we may be able to offer you an identical one from an external stock (no guarantee).

Volumetric volume (L): 17.500 L



Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)
Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: no
Flange for agitator: no
Position of manway: cylinder

Top: 2,50 mm
Cylinder: 2 mm
Bottom: 2,90 mm
Internal diameter tank: 2.330 mm
Cylinder height: 3.950 mm

Total height of tank: 5.000 mm
Empty weight tank: 1.200

SKU: 400196

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank:

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Vinoppbevaring; Mannhull ca. 325 x 425 mm; 1 håndhull diameter 200 mm i øvre bunn; Utløp DN 100 DIN 11851, skrudd på en konus med spjeldventil DN 50 DIN 11851 (se bilder); Vegg

Øvrig informasjon2: det laveste sylindersegmentet: 2,5 mm; Hvis du leter etter en identisk tank til denne varen, kan vi kanskje tilby deg en identisk fra et eksternt lager (ingen garanti).

Omrører: Nei

Total uttapping: Nei, det er det ikke.

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 17500

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 3 950 mm

Innvendig diameter: 2 330 mm

Total høyde: 5 000 mm



Tanktykkelse

Bunn: 2,90 mm

Sylinder: 2 millimeter

Topp: 2,50 mm

Mer

Isolert: Nei

Vekt: 1.200