2000 liters tank i rustfritt stål 304

38 000 SEK /st exkl moms

Additional information: Pharmacy; 4 support brackets, Aisi 304
Volumetric volume (L): 2.000 L
Pressure in tank: ATM - atmosferic
Material wet parts: SS AISI 304 (V2A)

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Model: vertical

Configuration: single-skin
Heat exchanger: no
Insulation: no
Mobile tank: no
Total discharge: yes

Documents included: no
Technical drawing included: no
Registration plate on the tank: yes
Flange for agitator: no
Outlet of tank: DN50 DIN 11851

Agitator: yes
Number of revolutions: 350 - 1700
Power: 2,20
Internal diameter tank: 1.230 mm
Cylinder height: 1.650 mm

Total height of tank: 3.100 mm

SKU: 481687

Mer information

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor

Beskrivelse av produkt

Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank: ATM – atmosfærisk
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: Apotek; 4 støttebraketter, Aisi 304; vi kan ikke gi noen garantier om omrøreren
Omrører: Ja
Total uttapping: Ja
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 2000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Ja
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 1 650 mm
Innvendig diameter: 1 230 mm
Total høyde: 3 100 mm

Omrører

Effekt (kW): 2,20
Turtall: 350 – 1700

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Mer

Isolert: Nei

PROCESSÖVERSKOTT AB

Rodervägen 57
891 78 Bonässund
info@processoverskott.se

Läs våra köpvillkor