

2000 liters tank i rustfritt stål 304



38 000 SEK /st exkl moms

Additional information: Pharmacy; 4 support brackets, Aisi 304

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)



Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no

Total discharge: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: DN50 DIN 11851

Agitator: yes

Number of revolutions: 350 - 1700

Power: 2,20

Internal diameter tank: 1.230 mm

Cylinder height: 1.650 mm

Total height of tank: 3.100 mm

SKU: 481687

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Apotek; 4 støttebraketter, Aisi 304; vi kan ikke gi noen garantier om omrøreren

Omrører: Ja

Total uttapping: Ja

Oppvarming/kjøling: Nei

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 2000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Sylinderhøyde: 1 650 mm

Innvendig diameter: 1 230 mm

Total høyde: 3 100 mm

Omrører

Effekt (kW): 2,20

Turtall: 350 – 1700



Mer

Isolert: Nei