

2000 liters tank i rustfritt stål 304



78 000 SEK /st exkl moms

Additional information: Different manufacturers, therefore slight differences in design possible; cooling system, consisting of a cooling line, which is attached over the entire length of the tank; tanks are loose in a bolted stainless steel 304 frame (only sold as a package of 2 (2 x 1,000 liters)); 1 manhole in the front base; type plates not available on every tank

Volumetric volume (L): 2.000 L



Pressure in tank: pressure

Max. pressure (Bar): 3 Bar

Min. pressure (Bar): 3 Bar

Material wet parts: SS AISI 304 (V2A)

Model: horizontal

Configuration: insulated

Heat exchanger: no

Insulation: yes

Mobile tank: no

Total discharge: yes

Volume: 3 L

Max Overpressure: 3 Bar

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Outlet of tank: available

Internal diameter tank: 790 mm

Outer diameter tank: 860 mm

Total outer length: 2.400 mm

SKU: 576779

Mer information



Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Horisontal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: trykk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Bryggeri; Forskjellige produsenter, derfor små forskjeller i design mulig; kjølesystem, bestående av en kjøleledning, som er festet over hele tankens lengde; tankene er løse

Øvrig informasjon2:

Omrører: Nei

Overtrykk: 3 barer

Total uttapping: Ja

Undertrykk (vakuum): 3 barer

Trykktank: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 2000

Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304

Tankdimensjoner

Innvendig diameter: 790 mm

Ytre diameter: 860 mm



Mer

Isolert: Ja