

2000 liters tank i rustfritt stål 304



19 000 SEK /st exkl moms

Article type: second-hand transport tank

Additional information: Compound feed containers, not suitable for liquids, sliding flap 520mm x 420mm

Volumetric volume (L): 2.000 L

Max. density P (kg/m³): 500

Pressure in tank: ATM - atmospheric

Material wet parts: SS AISI 304L (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no



Mobile tank: no

Top type: flat

Shape of tank: square

Bottom type: strong conical

Total discharge: yes

Fixation points: 4 stackable frame

Manway(s): RVS 304

Gasket manway(s): unknown

Fixation point(s): galvanised steel

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: yes

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Height manhole 1 (mm): 395 mm

Total outlet valve: yes

Agitator: no

Cylinder height: 1.250 mm

Total height of tank: 2.110 mm

Total outer width: 1.150 mm

Total outer length: 1.150 mm

Empty weight tank: 250

SKU: 430298



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: enkelthudet

Maksimal tetthet for produktet: 500

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Blandingsbeholdere, ikke egnet for væsker, skyveluke 520 mm x 420 mm

Omrører: Nei

Tankens form: firkantet

Total uttapping: Ja

Type bunn: sterk konisk

Oppvarming/kjøling: Nei

Veskebelastet overflate: SS AISI 304L (V2A)

Volum i liter: 2000

Utstyr

Dokument finnes: Nei

Flens for omrører: Nei

Merkeskilt: Ja

Næringsmiddelgodkjent: Ja

Teknisk tegning finnes: Nei, det er det ikke.

Utløpsventil: Ja

Materialoversikt

Materiale: Rustfritt stål 304

Festepunkt(er): galvanisert stål

Tankdimensjoner

Sylinderhøyde: 1250 mm

Total høyde: 2,110 mm



Mer

Isolert: Nei

Vekt: 250