

2000 liters tank i rustfritt stål 304



47 000 SEK /st exkl moms

Article type: second-hand storage tank

Additional information: manway 265mm x500mm

Volumetric volume (L): 2.000 L

Pressure in tank: ATM - atmosferic

Material wet parts: SS AISI 304 (V2A)

Model: vertical

Configuration: single-skin

Heat exchanger: no

Insulation: no

Mobile tank: no



Top type: flat

Shape of tank: cylindrical

Bottom type: conical

Total discharge: yes

Fixation points: 3 non adjustable feet

Manway(s): RVS 304

Fixation point(s): RVS 304

Suitable for food industry: yes

Documents included: no

Technical drawing included: no

Registration plate on the tank: no

Flange for agitator: no

Number of manways: 1

Position of manway: at the top

Hinged lid: yes

Tank outlet: inside Ø 50 mm

Agitator: no, optional

Top: 5 mm

Cylinder: 4 mm

Bottom: 4 mm

Tank capacity top cylinder: 2.244 L

Distance from outlet to ground: 300 mm

Outer diameter tank: 1.260 mm

Cylinder height: 1.800 mm

Total height of tank: 2.500 mm

Empty weight tank: 600

SKU: 386393



Mer information

Beskrivelse av produkt

Næringsmiddelgodkjent: Ja
Materiale: Rustfritt stål 304
Modell: Vertikal
Nyprodusert/Brukt: Brukt
Arbeidstrykk i tank:
Konfiguration: enkelthudet
Mobil tank: Nei, det er det ikke.
Øvrig informasjon: mannhull 265mm x500mm
Omrører: Nei
Tankens form: sylindrisk
Total uttapping:
Type bunn: konisk
Oppvarming/kjøling: Nei
Væskebelastet overflate: SS AISI 304 (V2A)
Volum i liter: 2000

Utstyr

Dokument finnes: Nei, det er det ikke.
Flens for omrører: Nei
Merkeskilt: Nei, det er det ikke.
Næringsmiddelgodkjent: Ja
Tankutløp: innvendig Ø 50 mm
Teknisk tegning finnes: Nei, det er det ikke.

Materialoversikt

Materiale: Rustfritt stål 304
Festepunkt(er): RVS 304



Tankdimensjoner

Sylinderhøyde: 1 800 mm
Mål utløp til bakken: 300 mm
Total høyde: 2 500 mm
Ytre diameter: 1 260 mm

Tanktykkelse

Bunn: 4 mm
Sylinder: 4 mm
Topp: 5 mm

Mer

Isolert: Nei
Vekt: 600