

## 2000 liters tank i rustfritt stål 304



58 000 SEK /st exkl moms

**Additional information:** Rinse water tank (Cip system) in a dairy; Cone height approx. 1000 mm; manhole approx. 430 mm (slightly out of round); dents in the upper bottom; insulating jacket cut open at the end of the cone bottom (see photos); some residues of previous content; bump at the insulation jacket; pipe end cut flush

**Volumetric volume (L):** 2.000 L



**Pressure in tank:** ATM - atmosferic

**Material wet parts:** SS AISI 304 (V2A)

**Model:** vertical

**Configuration:** insulated

**Heat exchanger:** no

**Insulation:** yes

**Mobile tank:** no

**Total discharge:** yes

**Type HE on the cylinder:** half pipe welded onto the outside of the innertank

**Documents included:** no

**Technical drawing included:** no

**Registration plate on the tank:** no

**Flange for agitator:** no

**Position of manway:** headside

**Outlet of tank:** 150

**Internal diameter tank:** 1.340 mm

**Outer diameter tank:** 1.500 mm

**Cylinder height:** 1.400 mm

**Total height of tank:** 3.500 mm

**SKU:** 463251

## Mer information



## Beskrivelse av produkt

Materiale: Rustfritt stål 304

Modell: Vertikal

Nyprodusert/Brukt: Brukt

Arbeidstrykk i tank: ATM – atmosfærisk

Konfiguration: isolert med varmeveksler

Mobil tank: Nei, det er det ikke.

Øvrig informasjon: Skyllenvannstank (Cip-system) i et meieri; kjeglehøyde ca. 1000 mm; mannhull ca. 430 mm (litt urundt); bulker i øvre bunn; isolasjonsmantel skåret opp i enden av kjeglebunnen

Øvrig informasjon2: (se bilder); noen rester av tidligere innhold; støt ved isolasjonskappen; rørenden kuttet i flukt; vi kan ikke gi noen garantier om varme- / kjølekappen

Omrører: Nei

Total uttapping: Ja

Oppvarming/kjøling: Ja

Væskebelastet overflate: SS AISI 304 (V2A)

Volum i liter: 2000

## Utstyr

Dokument finnes: Nei, det er det ikke.

Flens for omrører: Nei

Merkeskilt: Nei, det er det ikke.

Teknisk tegning finnes: Nei, det er det ikke.

## Materialoversikt

Materiale: Rustfritt stål 304

## Tankdimensjoner

Sylinderhøyde: 1 400 mm

Innvendig diameter: 1340 mm

Total høyde: 3 500 mm

Ytre diameter: 1 500 mm



**Mer**

Isolert: Ja